



## Edina Fire Department

6250 Tracy Avenue  
Edina, Minnesota 55436-2580  
(952) 826-0330  
Fax (952) 826-0393

City of Edina  
4801 West 50th Street  
Edina, Minnesota 55424-1394  
(952) 927-8861  
Fax (952) 826-0390



## Commercial Building Requirements for Fire Department Key Box & FDC Caps/Plugs

The Knox Company is the approved vendor for the Edina Fire Department. **Product can now be order online at [www.KnoxBox.com](http://www.KnoxBox.com).** Please follow the steps listed below to ensure timely processing and delivery of your Fire Department Key Box and/or FDC Caps/Plugs.

1. The **4100 Series recessed or surface mount Knox Vault** is the approved key box for commercial buildings unless a smaller model is approved by the fire department.
2. The Tamper Switch is not required unless access to the key box is to be monitored by your security company.
3. Confirm how many 2-1/2 inch FDC Caps/Plugs are needed as most FDC's have two openings.
4. Knox Company will send us a confirmation e-mail listing the product that was ordered.
5. The product will be delivered to you. Call the Fire Prevention Bureau for approval of the key box installation location at 952-826-0378.
6. **The Key Box shall be installed no more than 5 feet above ground.**
7. An Edina Fire Inspector will install the FDC Caps/Plugs.
8. Following the installation of the Key Box, make arrangements with the Fire Prevention Bureau to enclose your keys and secure the cover to the Key Box.

### Items Required Inside the Key Box 3 Complete Sets of Keys

1. Master Key for Exterior Doors and Common Area Interior Doors
2. Card Reader Access if applicable.
3. Keys to Mechanical, Electrical, Storage, & Fire Sprinkler Control Room.
4. Fire Alarm Control Panel Key & Fire Alarm Pull Station Reset Key.
5. Elevator Key Box Access Key (7802)
6. Emergency Information Card -- "After Hours" Personnel Notification.